

# **SALTIRE STABLES 2011 PRICELIST**

Workshop and Display Site  
Telephone  
Fax  
E-Mail  
Internet

Unit 2 & 3 Prestonhall Industrial Estate Cupar Fife KY15 4RD  
01334 654974  
01334 653749  
[sales@saltirestables.co.uk](mailto:sales@saltirestables.co.uk)  
[www.saltirestables.co.uk](http://www.saltirestables.co.uk)

## **INTRODUCTION**

Saltire Stables began in 1992 with the simple ethos of designing, manufacturing and erecting a quality, value for money range of buildings for the equestrian community. In the years since our foundation, we have kept to that principle and we still manufacture and erect every timber building that we offer with our own staff, keeping our quality standards as high as possible, using kiln dried fully pressure treated components.

As well as our "standard" range we can make just about any timber framed structure - just send us a sketch and we can cost it for you!

## **GENERAL TERMS** – Applicable to all buildings

- All products are offered strictly in accordance with our standard terms and conditions of sale.
- All prices exclude VAT
- All prices are ex works Cupar, transport is costed at 5% of order value (subject to min charge detailed below)
- All building prices include erection. Self erection discount 17.5%
- Site Visits and quotations are free of charge
- Planning Permission Drawings (£125) and Technical Building Warrant drawings (£200), are refunded in full on final bill
- Structural Engineering Certificates are bespoke, charged at cost and are non refundable
- All offers are made subject to our standard terms and conditions of sale shown in brochure or on our website
- A deposit of 25% is required with all orders refundable should planning permission not be granted.
- The balance of the order is payable with 7 days of completion.

## **TRANSPORTATION**

The costs of delivering the components, our men and machinery to erect the buildings is charged at 5% of order value, subject to the following minimum charges, per order and calculated using Autoroute Express

**0 - 99 mls £125      100 – 200 mls £195      201 – 300 mls £300      301 - 400 £500**

Offshore Locations and Islands costed to nearest ferryport. Export orders are subject to individual quotation based on delivery by artic lorry usually on a groupage rate. Customers must have access suitable for these lorries and be able to unload such vehicles.

## **PRICE MATCH GUARANTEE**

Please read our information carefully as we believe that when you look at our detailed specifications, support services and long term guarantees, we offer the very best value package in the market today. Cheaper buildings often have an inferior specification or finish which will not stand the rigours of a northern climate.

We are so confident in our package that if you get a cheaper quotation for the same building or layout with a comparable guarantee then send us that written quotation and we will better their offer. It's as simple as that.

## **LOW CARBON BUILDINGS**

One of the great things about timber building systems is that they leave a small carbon footprint. Over it's lifetime, timber emits 5 times less carbon than concrete and 10 times less than steel! In addition Saltire Stables have had lean manufacturing systems in place for many years which minimises waste and we also recycle all our timber offcuts which are turned into mulch for parks, gardens and riding surfaces. Every stable we manufacture typically locks up 0.7 tonnes of carbon and our typical double garage about 1.2 tonnes.

Our buildings are also lighter to transport and designed to be erected by manpower only meaning they are just about as green as it is possible to be at the current point in time!

## **DRAWINGS / TECHNICAL SUPPORT**

When we send you a quote, we include a layout plan drawing and typical concrete details free of charge. The layout plan and quotation can be amended as required until correct. When a layout and the specification are finalised and you are ready to order we will send an order confirmation and detailed basework drawings. You can also place an order to secure a fixed price (held for 1 year) even if permissions are required. If planning is not granted then the deposit can be refunded in full.

In many cases, planning permission is not required but we are happy to visit your proposed site without any obligation to offer free advice. If planning permission is needed, we can provide a full set of elevation drawings and specifications (usually in electronic CAD form) to which you add the location plan to finalise your application. These drawings cost £125 and will be refunded against your final invoice.

On occasion, the council may require full technical drawings for building warrant purposes. As these are unique to your building, there is a charge of £200 for these which again is refunded in full against your final invoice. Rarely (and usually only on larger structures) you may require a structural engineer's certificate which includes bespoke engineering calculations to reflect your location and elevation and site investigation works to confirm ground strength, suitability and porosity tests. In this case the agreed charge is non refundable.

# STABLES RANGE

All sizes are nominal for guidance

All looseboxes and cornerboxes include kicklining

All include 1.1m canopy to front

TAY models have Black Onduline sheeting with 1 translucent sheet per bay on rear face of roof

FORTH models have a sarked roof as standard, with Black Onduline / translucent sheet and a Tyvek frame vapour barrier

CLYDE models have a sarked roof as standard, with Box Profile metal or Farmscape roofing, upper rear polycarbonate light and Tyvek barrier

		<b>TAY</b>	<b>FORTH</b>	<b>CLYDE</b>
<b>Basic Standard Specification</b>				
Frame		3 x 2 CLS	3 x 2 CLS	4 x 2 CLS
External Weatherboard Cladding		16 x 125mm	19 x 125mm	19 x 125mm
Lining		11mm to 1.2m	11mm to eaves	18mm to eaves
Roofing		Onduline (Black)	Onduline (Black)	Steel Profile
Sarking		No	Yes	Yes
Eaves Height		7'0 / 2.16m	7'6 / 2.25m	8'0 / 2.44m
Truss Height		2'6 / 760mm	3'0 / 900mm	3'6 / 1.06m
Gutter		front	front & rear	front & rear
<b>Looseboxes; single</b>	12 x 12'/3.6 x 3.6m	<b>£1415</b>	<b>£2005</b>	<b>£2645</b>
<b>extra boxes</b>	12 x 12'/3.6 x 3.6m	<b>£1265</b>	<b>£1830</b>	<b>£2445</b>
<b>Ponyboxes</b>	10'0/3.0m wide less	<b>- £100</b>	<b>- £150</b>	<b>- £200</b>
<b>Hunterboxes</b>	14'0/4.2m wide plus	<b>+£150</b>	<b>+£200</b>	<b>+£250</b>
<b>Additional Units;</b> These prices are for extra units when added to one or more looseboxes.				
<b>Corner Boxes</b>	12 x 18'/3.6 x 5.4m	<b>£1895</b>	<b>£2745</b>	<b>£3665</b>
<b>Foaling Boxes</b> (double door)	12 x 16'/3.6 x 4.8m	<b>£1685</b>	<b>£2440</b>	<b>£3260</b>
<b>Tack Room</b> (offset door/unlined)	12 x 6'/3.6 x 1.8m	<b>£540</b>	<b>£760</b>	<b>£960</b>
<b>Feed Room</b> (centre door/unlined)	12 x 8'/3.6 x 2.4m	<b>£720</b>	<b>£1010</b>	<b>£1275</b>
<b>Haystores</b> (with 5 bar gate/unlined)	12 x 12'/3.6 x 3.6m	<b>£1080</b>	<b>£1520</b>	<b>£1915</b>
	12 x 18'/3.6 x 5.4m	<b>£1530</b>	<b>£2180</b>	<b>£2780</b>
	12 x 24'/3.6 x 7.2m	<b>£1930</b>	<b>£2800</b>	<b>£3600</b>
	12 x 30'/3.6 x 9.0m	<b>£2270</b>	<b>£3350</b>	<b>£4350</b>

## PRINCIPAL OPTIONAL EXTRAS – all per 3.6m / 12' unit

	<b>TAY</b>	<b>FORTH</b>	<b>CLYDE</b>
Full lining looseboxes	<b>£180</b>	included	standard 18mm
Roof Sarking 11mm OSB c/w vapour barrier	<b>£175</b>	included	standard
Lined Overhang in weatherboard	<b>£100</b>	included	standard
Rear Gutter	<b>£60</b>	included	standard
19 x 125mm Weatherboard	<b>£50</b>	included	standard
Opening Hopper Window	<b>£40</b>	included	6 x multislats
Doorjamb Chewstrip	<b>£30</b>	included	standard
Top Door Lining	<b>£25</b>	included OSB	standard w-board
Rear Wall Louvre Vents	<b>£20</b>	included	standard
Autolok Stable doorbolt	<b>£15</b>	included	standard
Extra 150mm eaves height	<b>£50</b>	<b>£50</b> (2.25m std)	standard (2.44m std)
Steel Profile Roof Sheets or Eternit Farmscape roofing	<b>£250</b>	<b>£250</b>	included
6 pane multislats loosebox window	<b>£135</b>	<b>£85</b>	included
Steel Partition Grill (1.067m)	<b>£85</b>	<b>£85</b>	included
Polycarbonate Upper Rear Wall "lights"	<b>£75</b>	<b>£75</b>	included
Change to 18mm OSB or P5 18mm lining	<b>£60</b> (1.2m)	<b>£120</b> (eaves)	included
Upgrade to 4 x 2 CLS	<b>£60</b>	<b>£60</b>	included
Crook & Band stable door hinges	<b>£40</b>	<b>£40</b>	included
600mm steel sheet to stable door face	<b>£30</b>	<b>£30</b>	included
Additional 2'0/600mm extension to canopy -1.8m overall	<b>£70</b>	<b>£100</b>	<b>£140</b>
Additional 4'0/1200mm extension to canopy (includes posts) - 2.4m overall	<b>£140</b>	<b>£200</b>	<b>£280</b>
Green or Red Onduline roof	<b>£100</b>	<b>£100</b>	n/a (steel)
2m long Translucent Roof Sheets (single skin)	standard	standard	<b>£70</b>
11mm OSB Lining to tack / feed / haystores etc applicable to all ranges		<b>£180 to 1.2m</b> <b>£3.75 per lin ft</b>	<b>£360 to eaves</b> <b>£7.50 per lin ft</b>

Archways, special complexes, clocktowers and non standard sizes are all possible

Other Roofing Materials

eg felt, fibrecement, Bardoline Shingles, Decra tiles etc

Other Kicklining Materials

eg plywood, mdf, sawn board, wallmat

Plumbing

Drinkers, taps etc

Stable Equipment

see Equine Essentials in price list

quoted on request

quoted on request

quoted on request

quoted on request

free fitting with buildings

# FIELD SHELTERS RANGE

## ECONOMY SHELTER

Specifically designed for self erection - all components included - you would need 2 people, a cordless screwdriver, hammer and stepladder. This building has been designed to keep wastage to the absolute minimum and be the most economical possible without compromising strength

One size only	16 x 12' nom	4.88 x 3.66m
One roof style Only	Pent roof sloping 7'0 - 10'6	2.12 - 3.20m
One Opening width	15'6"	4.73m
Frame	3 x 2 nom pressure treated CLS at 610mm centres	
Cladding	12mm exterior grade hardwood plywood - will need stained or creosoted by customer	
Vents	Rear wall 19 x 75mm Yorkshire Board with 38mm spacings	
Roofing	9 x 2" nom heavy duty purlins with Black Onduline roof	

**Ex Works Price      self erect      £845.00      Erected by Saltire      + £300.00**

## STANDARD FIELD SHELTERS

All field shelters have paired minimum 1.5m (5'0) front openings with sliprails  
 These openings can be placed free of charge in any location and can be of any size in accordance with customer preference  
 All shelters have 0.9 – 1.1m canopy to front as standard and Onduline Roofing with a clear roof sheet per bay on rear face of roof  
 All shelters have full width 350mm tall Yorkshire boarded ventilation slot on rear face  
 Shelters are excluded from storm damage guarantee unless bolted to concrete base  
 All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes

### CROMARTY

<b>Basic Standard Specification Fixed</b>	
Frame	3 x 2 nom CLS
External Weatherboard Cladding	16 x 125mm nom
Lining	unlined
Roofing	Onduline (Black + clear)
Eaves Height	7'0 / 2.16m
Truss Height	2'6 / 760mm
Base	not included
Guttering	to front as standard
Closing Method	sliprail

### COLONSAY

<b>Towable</b>
3 x 2 nom CLS
19 x 125mm nom
11mm OSB to 1.2m
Onduline (Black + clear)
7'0 / 2.16m
2'6 / 760mm
timber /metal with post brackets/towing eyes
to front as standard
sliprail

	3.0m / 10'0	3.6m / 12'0	3.0m / 10'0	3.6m / 12'0
<b>3.6m / 12'0</b>	<b>£1020</b>	<b>£1225</b>	<b>£1260</b>	<b>£1515</b>
<b>4.2m / 14'0</b>	<b>£1170</b>	<b>£1400</b>	<b>£1450</b>	<b>£1740</b>
<b>4.8m / 16'0</b>	<b>£1315</b>	<b>£1575</b>	<b>£1635</b>	<b>£1960</b>
<b>5.4m / 18'0</b>	<b>£1450</b>	<b>£1740</b>	<b>£1810</b>	<b>£2170</b>
<b>6.0m / 20'0</b>	<b>£1580</b>	<b>£1895</b>	<b>£1980</b>	<b>£2375</b>
<b>6.6m / 22'0</b>	<b>£1705</b>	<b>£2045</b>	<b>£2145</b>	<b>£2575</b>
<b>7.2m / 24'0</b>	<b>£1800</b>	<b>£2160</b>	<b>£2280</b>	<b>£2735</b>
<b>9.0m / 30'0</b>	<b>£2190</b>	<b>£2625</b>		
<b>10.8m / 36'0</b>	<b>£2555</b>	<b>£3080</b>		

lengths longer than 24' / 7.2m are not readily towable by 4 x 4

Other sizes pro rata to above pricelist  
 Delete overhang to create Apex roof (Dornoch style)      **less 7.5%**  
 Delete overhang to create Pent roof (Beaully style)      **less 5%**

### PRINCIPAL OPTIONAL EXTRAS – all per 3.6m / 12' unit

Heavy Duty Pressure Treated Bearers	<b>£20ea</b>	3.6m x 63 x 175mm (only for fixed Cromarty shelters)	
Steel securing pins	<b>£5ea</b>	500 x 20mm	
Timber holding down posts	<b>£7.50ea</b>	75 x 75 x 825mm	
5 Bar pressure treated gates	<b>£60ea</b>	1.5–3.0m/5–10' wide	Solid Sheeting to 1 side of gate <b>£15</b>
	<b>£80ea</b>	3.0–3.6m/10'–12'	Internal Sliprails with springbolts <b>£20ea</b>
Kicklining 11mm OSB to 1.2m	<b>£180</b>		Kicklining 18mm OSB to 1.2m <b>£240</b>
Rear Gutter	<b>£60</b>		Rainbutt & Diverter with support stand <b>£50</b>
Add stable doorset in lieu sliprail	<b>£150</b>		Internal Partition Wall and 760mm door in front <b>£100</b>
Floor to create tackroom	<b>£15/m<sup>2</sup></b>		760 or 900mm tackroom door <b>£50</b>
Upgrade to 4 x 2 nom CLS	<b>£60</b>		Upgrade to 19mm nom weatherboard <b>£50</b>
Green or Red Onduline roof	<b>£100</b>		Roof Sarking 11mm OSB c/w vapour barrier <b>£175</b>
Lined Overhang	<b>£100</b>		Side Wind infill to block off canopy <b>£50 ea</b>
Fixed Window 750 x 750mm	<b>£50</b>		Opening Hopper Window <b>£90</b>

# BARN RANGE

All units have sarking in 11mm OSB with Dalpro vapour membrane and Onduline roofing in black as standard + clear or polycarbonate lights  
 All units include Tyvek or similar vapour barriers in external walls  
 All stalls include kicklining to eaves height  
 Both models incorporate the Saltire range of Pentland Internals with timber frame and steel upper grill as standard  
 All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes  
 Designed to individual requirements in a range of sizes, following customer request. We show below a couple of worked examples for guidance.

## MINI BARN

## CANADIAN BARN

### Basic Standard Specification

Frame	3 x 2 CLS	4 x 2 CLS
External Weatherboard Cladding	19 x 125mm	19 x 125mm
Stalls Kicklining	11mm OSB to eaves	18mm OSB to eaves
Roofing	Onduline (Black) + clear	Onduline (Black) + polycarb strip
Sarking	11mm OSB + vapour barrier	11mm OSB + vapour barrier
Eaves Height	8'0 / 2.44m	8'0 / 2.44m
Truss Height	3'6 / 1.06m	5'0 / 1.5m
Roof Support	on top of internal walls	open plan portal frame
Access Doors	Paired hinged stable	Sliding steel tracked
Top Half doors with fixed windows	Optional	Standard
Guttering	full	full

### MINI BARN

£13.00 ft<sup>2</sup>

Typical Layout; 24' x 34' external (7.2 x 10.4m) containing  
 4 no Pentland 12' x 12' (3.6 x 3.6m) stalls, steel partition grills and 11mm OSB full lining and hinged bottom doors  
 1 no 10' x 7' (3.0 x 2.1m) tackroom with mezzanine storage ceiling, unlined, 2'6 (760mm) access door  
 17' x 10' (5.1 x 3.0m) working area Translucent sheets above each bay  
 2 x paired full stable doors for access Internal wall supported roof structure

Price Guide 24' x 34' x £13.00ft<sup>2</sup>

**£10608.00**

add 7.5% for open plan structure  
 £1770  
 £135 each

Options 34 x 6'6 full width store to rear with 2 x doors £8.00 ft<sup>2</sup>  
 Add top ½ door and fixed window

### CANADIAN BARN

£15.00 ft<sup>2</sup> internal stall area / £12.00 ft<sup>2</sup> hay/tack/feed / £11.00 ft<sup>2</sup> open area

Typical Layout; 34' x 48' external (10.8m x 14.4m) containing  
 6 no Pentland 12' x 12' (3.6 x 3.6m) stalls, steel partition grills and full 18mm OSB lining  
 Hinged bottom doors and top ½ doors with fixed window to all stalls  
 2 no 6' x 12' (1.8 x 3.6m) rooms for tack & restroom, unlined, 2'6 access door (760mm), fixed external window  
 Mezzanine ceiling to both rooms Polycarbonate lights on upper side walls  
 1 no 12' x 12' (3.6 x 3.6m) washbay area with full ht lining and internal vapour barrier  
 48' x 10' (14.4 x 3.0m) full length working corridor with full width sliding door to one end  
 Paired 4'0 doors to other end Kerto S laminated structural beam Portal Frame open plan roof structure

Price Guide 34' x 36' stalls x £15.00ft<sup>2</sup>  
 12' x 34' washbay/tack/feed x £12.00ft<sup>2</sup>

£18360.00  
 £4896.00  
**£23256.00**

delete 7.5% for supported roof structure

### PRINCIPAL OPTIONAL EXTRAS & UPGRADES – ALL BARN MODELS

Other options of cladding, roofing and lining as per other pricelists

Red or Green Onduline Roof	£5.00m <sup>2</sup>	Steel Profile or Eternit Farmscape Roof	£14.00/m <sup>2</sup>
Bardoline Shingles	£22.00/m <sup>2</sup>	Lining to tack / feed / haystores per	£3.75 per lin ft to 1.2m £7.50 per lin ft eaves
Extra Eaves Height per 200mm step	+5%	Extend roof to provide 1m canopy (unlined)	£140.00 / 3.6m
Extra Roof Pitch per 200mm steps	+ 3.5%	To line extended canopy	£100.00 / 3.6m
Change top ½ doors to full stable door sets	£150.00 ea	Change Paired rear doors to sliding door	£250.00 ea
Exchange Pentland stalls for Steel Cuillin with hinged doors	£270/stall		
Exchange Pentland stalls for Steel Cuillin with sliding doors	£350/stall		
Change 11mm stall lining to 18mm OSB in minibarn (full height)	£120/stall		
Change Pentland internals hinged doors to sliding	£80/ea		

# INTERNAL STABLING RANGE

All stalls include kicklining or boarding to eaves height or grill height depending on model  
 All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes  
 Sizes shown are standard but other bespoke sizes are available on request  
 Designed to individual requirements in a range of sizes, following customer request.

Basic Standard Specification	<b>PENTLAND</b>		<b>CUILLIN</b>		
	<b>Timber Framed</b>		<b>Steel Framed</b>		
Frame	4 x 2 CLS		60 x 60 x 3mm bolting posts		
U channel	n/a		3mm 40 x 40		
Cladding	19 x 125 CCA weatherboard		32mm brown recycled plastic or softwood		
Stalls Kicklining	11mm OSB		n/a		
Steel Grills	1.076 or 1.82m 63mm spacing		full width hollow bar at 50mm space		
Bar	12mm solid bar		22 x 1.25 x 50mm		
Doors	Side hinged bottom only		Hinged 1 pc bottom door with Y upper		
Height	2.44m (8'0)		2.2m (7'3")		
	Standard Sizes		Standard Sizes		
			Softwood		Recycled Plastic Brown
<b>Fronts</b>	3.0m/10'	<b>£275</b>	3.0m	<b>£370</b>	<b>£440</b>
	3.6m/12'	<b>£310</b>	3.6m	<b>£410</b>	<b>£490</b>
	4.2m/14'	<b>£345</b>	4.2m	<b>£450</b>	<b>£540</b>
<b>Corner Fronts</b>	1.35m/4'6	<b>£205</b>	1.35m	<b>£295</b>	<b>£345</b>
<b>Partitions (with grill)</b>	3.0m/10'	<b>£195</b>	3.0m	<b>£275</b>	<b>£345</b>
	3.6m/12'	<b>£230</b>	3.6m	<b>£315</b>	<b>£395</b>
	4.2m/14'	<b>£265</b>	4.2m	<b>£355</b>	<b>£445</b>
<b>Ends/Backs (no grill)</b>	3.0m/10'	<b>£165</b>	3.0m	<b>£365</b>	<b>£450</b>
	3.6m/12'	<b>£200</b>	3.6m	<b>£405</b>	<b>£505</b>
	4.2m/14'	<b>£235</b>	4.2m	<b>£445</b>	<b>£560</b>
<b>Extra length above 4.2m</b>		<b>£30 per foot</b>	<b>£35 per foot</b>	<b>£40 per foot</b>	
		NB Extra post £40 each to joint steel panels wider than 4.2m width			
<b>Bolting Charge per panel</b>		<b>£30</b>	<b>£50</b>	<b>£50</b>	
	Assuming level sound surface				
<b>Principal Optional Extras</b>					
Sliding Doors		<b>£80</b>	<b>£80</b>	<b>£80</b>	
Antiweave Grills		<b>£50</b> (loose)	<b>£50</b> (fixed insert)	<b>£80</b>	
Hinged door in upper door grill		n/a	<b>£60</b>	<b>£60</b>	
Solid Upper door ie standard 2 part doorset		<b>£80</b>	<b>£150</b>	<b>£150</b>	
Hayrake (wall or corner)		<b>£35</b>	<b>£35</b>	<b>£35</b>	
Swivel feeder		<b>£95</b>	<b>£95</b>	<b>£95</b>	
Fixed Feed Trough			<b>£35</b>	<b>£35</b>	
10mm Rubber Wallmat		<b>£7 per lin ft</b>	n/a	n/a	
0.5mm galv Steel Sheet overlay		<b>£5 per lin ft</b>	n/a	n/a	
Upgrade from 11 to 18mm OSB		<b>£2.50 per lin ft</b>	n/a	n/a	
Change Pentland to external front (with full stable doorset and hopper window)		<b>+20%</b>	n/a	n/a	
Moveable Partitions		n/a	Hinged	<b>+ 40%</b>	

# DOORS AND WINDOWS

All timber components are fully pressure treated CCA green coloured and made to a tolerance of +/- 5mm  
Steel components are fully galvanised

All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes

For accuracy we will only manufacture once we are given the exact brickwork opening sizes you give us unless you choose a standard size.

Timber door frames are 70mm wide x 90mm deep with a 15mm closing allowance ie 1220 door + 15mm + (2 x 70mm) = 1375mm

Timber doors include a 100mm trim allowance at the bottom for final finishing

A full range of bespoke sizes is available priced on request. All prices are ex works – please request delivered prices

## TIMBER

Plywood lined top and bottom, 18" tee hinges, 9.5" kicklatch, 8" brenton padbolts, 6" cabin hooks and angled chewstrip to top of bottom door

### Top & Bottom Stable Door

1220 x 2320mm	<b>£205</b>
Frame for above external size 1375w x 2400t	<b>£40</b>
Bottom Door Only 1220w x 1220t	<b>£140</b>

### Top & Bottom Pony Door

1067 x 2320mm	<b>£185</b>
Frame for above external size 1220w x 2400t	<b>£40</b>
Bottom Door Only 1067w x 1067t	<b>£120</b>

### Options

Upgrade to 20" crook & Band hinges	<b>£40</b>	Add fixed acrylic window to top door	<b>£40</b>
Autolok Doorbolt	<b>£15</b>	600mm steel sheet	<b>£30</b>
Weatherboard both sides top door	<b>£10</b>		

### Tack Door

(frame ledge and braced, unlined with all ironmongery)	
760mm wide x 1960mm tall	<b>£90</b>
Frame for tack door ext size 910 x 2040mm	<b>£25</b>

### Garage Doors

(paired, frame ledge & braced, unlined with all ironmongery)	
2160mm wide x 2320mm tall	<b>£200</b>
Frame for garage doors ext size 2315 x 2400mm	<b>£50</b>

**Windows** – other combinations are available eg fixed pane with double upper louvre slats

Window 745 x 745 mm with 38mm frame, 2mm acrylic glazed

Bottom hinged hopper with chain	<b>£80</b>
Top hinged with casement	<b>£85</b>
Loose Frame for above 38 x 89	<b>£20</b>
Multislat - 6mm perspex size includes frame	
2 blade 730mm w x 382mm tall frame size	<b>£90</b>
6 slat frame size 730mm w x 941mm tall	<b>£175</b>

### Galvanised Frame Protection

Square Chewstrip	<b>£8.00</b>	1220 x 63mm inside with 50mm sides
Angled Chewstrip	<b>£10.00</b>	1220 x 63mm with 30 deg angle with 50mm sides
25 x 25mm L strip	<b>£3.00 per lin m</b>	760 / 1076 / 1220 / 1820 / 2400mm lengths
95mm U strip	<b>£10.00</b>	1220mm lengths

## STEEL FRAMED

They will be manufactured to the brickwork sizes you give us unless you choose a standard size with an L shaped angle iron plate to fit around opening for bolting purposes

### External Doors

Standard Wall opening	2.09m tall x 1.27m wide	
Frame	60 x 60 x 6mm	
Door	40 x 40 x 1.5mm square tube and 40 x 40 x 40 x 3mm U channel	
Infill	Brown recycled T&G boards 32mm thick or pressure treated softwood	
	Softwood	Plastic
Solid Door 1 piece solid	<b>£425</b>	<b>£485</b>
Stable Door 2 part solid split	<b>£475</b>	<b>£535</b>
additional hinged anti weave grid - removeable	<b>£95 extra</b>	<b>£125 extra</b>

### External Windows

Standard Wall Sizes	approx 1.0m x 1.0m rectangular	
External Frame	angle Iron 60 x 60mm	
Window Frame	40 x 40mm	
Infill	Brown Recycled boards 32mm thick or pressure treated softwood	
	Or 22mm bars (50mm spacing) and 6mm wired safety glass	
Opening	Either side hinged or tilt	
	Softwood	Plastic
Rectangular	Glazed and Barred <b>£290</b>	<b>£320</b>
	Solid <b>£390</b>	<b>£420</b>
Optional Cylinder Lock/Key	<b>£85</b>	<b>£85</b>

# EQUINE ESSENTIALS

A range of items designed for the successful completion of all equestrian buildings.  
All metal components are either galvanised or have a powder coated colour finish

All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes

All items are offered with free fitting whilst on site excluding plumbing and rubber matting systems

We also can supply all the components necessary for any ongoing repair & maintenance projects you have.

All prices are ex works – please request delivered prices

## STABLE HARDWARE

Tie Rings	screw on	£ 2.00	Bucket Hoop	heavy duty 343mm dia	£17.50
	Quick release spring clip	£ 4.00	Swivel Feeder	heavy duty face fixing	£95.00
Manger	hook on door, white	£ 8.50	Salt Lick Holder	black wire framed	£ 3.50
	corner style, fixed frame	£27.50	Stud Card Holder	black with wallet 6 x 4 card	£ 3.50
Hayrake	corner grid style 864 x 610	£18.50	Haybar	floor mounted black polyethelene Horse	£50.00
	corner bar style 838 x 559	£35.00		Pony	£50.00
Antiweave	Y shape for pony door 762 x 1040w	£ 50.00	Full barred grid	762 x 1050w pony door	£55.00
	Y shape standard door 762 x 1169w	£ 65.00	Full barred grid	762 x 1169w standard door	£60.00
	Y shape infill (fits any door)	£ 35.00	Additional sockets	in pairs to move grill from door to door	£ 7.50

## TACKROOM HARDWARE

Bridle Rack	115mm dia, black	£ 2.50	Rugrail	fixed single with 2 hooks, black	£10.00
Saddle Rack	wall mounted, fixed, black	£ 7.00		galvanised 3 x swingarms	£52.00
	Folding style, black	£14.00		galvanised 5 x 360mm arms	£85.00
5 handy hooks	102mm long, black	£ 4.50	Hatholder	domestyle, black	£ 5.50

## OTHER ITEMS

Steel Grills	1067 x 760	£ 75.00		with 12mm solid bars at 63mm centres	
	1828 x 760	£125.00		with 12mm solid bars at 63mm centres	
Automatic Drinkers	Green colour JFC 3.5gallon capacity	£ 45.00		1/2" BSP connection with autofloat	
Rainbutt	Green, 40 gallon with tap,stand&lid	£ 50.00		complete with diverter	

## EQUIMAT RUBBER MATTING

Detailed below are standard sizes but other sizes are possible by combining different sized mats – ring for a quotation

### 20mm thick Ultramat

to fit 10 x 12' green	£330.00
to fit 12 x 12' green	£375.00
individual locmat 5'11 x 4'	£ 62.50

### Wallmat

10mm thick x 6' x 4' green	£ 30.00
----------------------------	---------

### 28mm thick Supersoft

to fit 10 x 12' green	£440.00
to fit 12 x 12' green	£500.00
individual locmat 5'11 x 4'	£ 83.00

### Trailer Mat green

1m x 1m x 18mm interlock 4 sides	£ 30.00
----------------------------------	---------

## IRONMONGERY

Hinges	14" tee (tack doors)	£4.40 pr	Padbolts	brenton 8 x 5/8"	£4.35
	18" tee (stable / garage doors)	£8.00 pr		oval 4 x 1/2"	£3.50
	20" cranked crook & band	£25.00 pr		autolok 9 x 1/2"	£15.00
	4" hurlhinge for windows	£3.00 pr		springloaded light 3/8"	£5.40
Kicklatch	9.5" 3 part	£8.50		springloaded heavy 5/8"	£8.40
Cabin Hook	6" wire pattern	£2.00	Garage Door	18" drop bolt	£18.00
Sliprail Brackets	paired up to 4 x 2 timber	£13.20	Gateloop	3" / 75mm widths	£9.50
Gate Hinge	Double strap 24" set for gate posts	£32.00/set	Adjustable Hinge	Crook and band on plate	£28.00/pr

## HOME DELIVERY

Hardware items are fitted free of charge if ordered for supply with buildings

Other items are sent on usual 3 day courier delivery (UK mainland) and customers must be there to unload and sign for goods

Hardware Items	light items to up to 3kg	£12.00	medium items up to 10kg	£20.00	heavy items up to 25kg	£30.00
----------------	--------------------------	--------	-------------------------	--------	------------------------	--------

For heavy joinery items like stable doors please contact us as depending on location we may be able to deliver these using our transport.  
Typical "pallet" rates for delivery are £100 but do vary depending on destination

Rubber Matting can be fitted while on site whilst erecting buildings at 15% premium but free delivery

Rubber Matting	Delivery 1 – 3 sets	£50.00	4 sets	£free of charge
----------------	---------------------	--------	--------	-----------------

# GARAGES & WORKSHOPS

All units have Black Onduline Roofing over sarking deck with 2 x clear windows OR polycarbonate lights

All units include Tyvek or similar vapour barriers in external walls

All sizes are nominal for guidance – please refer to detailed specifications/quotations for exact sizes

## Basic Standard Specification

Frame	4 x 2 CLS
External Weatherboard Cladding	19 x 125mm with Tyvek Vapour Barrier
Roofing	Onduline (Black)
Sarking	11mm OSB with Dalpro vapour membrane
Canopy	450mm to face over front doors - lined
Eaves Height	8'0 / 2.44m
Truss Height	as required to give 20 deg Apex roof pitch
Roof Support	trusses on gables and central open plan portal frame
Access Doors	2 x Paired hinged garage doors and 1 x side access door
Guttering	to all sides in Black 112mm 1/2 round
Windows	750 x 750 Acrylic glazed opening window or 2400 x 330 twinwall polycarbonate lights

Price Guide – a full range of sizes is available to exact customer requirement. Our max clear span is 11m/36'

	3.0m/10'	3.6m/12'	4.2m/14'	4.8m/16'	5.4m/18'	6.0m/20'
3.6m/12'	£1625	£1915				
4.2m/14'	£1745	£2220	£2540			
4.8m/16'	£2135	£2515	£2870	£3225		
5.4m/18'	£2385	£2810	£3215	£3600	£3970	
6.0m/20'		£3095	£3540	£3970	£4375	£4800
7.2m/24'		£3660	£4185	£4685	£5160	£5710
9.0m/30'		£4500	£5145	£5760	£6345	£7025

## Other Popular Options

Coloured Onduline Roof	£5.00/m2	Steel Profile Roof	£14.00/m2
Bardoline Shingles	£22.00/m2	Lining to 2.4m eaves 11mm OSB	£7.50 / lin ft
Siberian Larch Cladding	£30.00/m2	2 ex 50 x 150 feather edge cladding	£17/m2
Change to sliding doors	£250 / door	Change to 7070 Steel Canopy up&over	£285
Extra Eaves Height	+ 5% per 150mm step	Extend roof to provide 1m canopy (unlined)	£140.00/3.6m
Extra Roof Pitch	+ 3.5% per 150mm steps	To line extended canopy	£100.00/ 3.6m
750 x 750 Fixed window	£50 (Acrylic)	750 x 750 Top hinged window /casement stay	£90
Change to 4mm glass	£15 per window	Polycarbonate Upper Wall "lights"	£75 each

# HOME OFFICES

They are available in a wide range of sizes and can include internal room partitioning and other doors and windows as required. They are often combined with a workshop or store to provide flexible accommodation.

These have a similar structural specification to garages and workshops with the following additions

## Additional Standard Specification

Doors	Upper panel double glazed access door
Windows	depending on size but 2 small and 2 med or large double glazed joinery windows
Roof	Charcoal Grey Bardoline shingles on 18mm OSB Sarking with dormer style feature
Floor	Cassette floor on 63 x 175mm perimeter rails and double sheeted min 30mm thick
Insulation	to ceiling, walls and floordeck with foil external wrap insulation below battened external cladding
Lining	Knotty pine over OSB to walls and ceiling with architraves and offset skirtings

**VATERSAY** standard style building without canopy - deduct 10% from prices shown below

**WESTRAY** costed below but with 1.2m lined canopy and decking area to front

	3.6m/12'	4.2m/14'	4.8m/16'	5.4m/18'	6.0m/20'
3.0m/10'	£5605	£6100	£6715	£7315	£7895
3.6m/12'	£6250	£6775	£7605	£8025	£8935
4.2m/14'		£7735	£8425	£9215	£9985
4.8m/16'			£9275	£10195	£10985
5.4m/18'				£11135	£12150
6.0m/20'					£13185